


Multi-Lock Interlocking PVC Tile System



Manufactured from rugged and resilient PVC, Multi-Lock is an injection molded solid vinyl tile.


A modular replacement floor system that quickly restores and enhances surface appearance hiding unsightly stains and minor cracks in concrete floors.

Whether in large Industrial sites or smaller public spaces, Multi-Lock offer rapid surface installation and exceptional durability in high traffic or heavy load conditions.

Factory corridors Entrance halls Showers Work stations Hobby shops	Commercial Industrial Residential	Patios Gym/Fitness centers Garages Laundry Rooms Marinas
Multi-Lock is available in 3 different sur- faces: Coin - Standard raised medallion motif Slate - Simulated slate pattern Smooth - Flat surface with a textured mat finish	CWF Mats	Meaurements: 19 5/8" x 19 5/8" [50cm x 50cm] - Area: Each tile covers 2.6ft2 Thickness: 5/16" or 3/16" Weight per tile: 5/16" 3.85lbs [1.75kg] / 3/16" 3.55lbs [1.60kg] Packaging: 5/16" 12 tiles per box / 3/16" 15 tiles per box Function: 5/16" heavy weight load traffic (Ribbed Bottom) 3/16" high foot traffic (Flat bottom)




Multi-Lock Interlocking PVC Tile System






ANTI-SLIP PERFORATED TILES



The perfect tile for protecting fragile surfaces.





Our easy-to-maintain perforated tiles resist wear and

Description / Dimensions >Design P1234 1/4 " hole, perforated tile 12" x 12" x 3/4" >Design PTF Trim female 12" x 2 1/2" x 3/4" >Design PTM Trim male 12" x 2 1/2" x 3/4" >Design PTC Trim corner

«Tile & trim available from stock in Black, Blue, Burgundy, Green, Terracotta, Yellow & Grey.



Resistant to shocks and most caustic products, our tiles are ideal for making boundaries for dangerous work zones.

CWF Mat perforated tiles are ideal for creating a workspace that's clean, safe and functional.

With a 1/4" hole, they're very easy to clean, as the perforations catch dust, dirt and other particles that are quickly removed with a vacuum.






ANTI-SLIP PERFORATED TILES



Bottom View of T-Interlocking Devices




TOP VIEW OF ANTI-SLIP PERFORATED TILES

There are three female T-Interlocking Devices on each side –top and right side and three male T-Interlocking Devices on left side and bottom of tile.





Shock Absorbent Cushioned Tiles



Anti-Slip RHINO tiles also come in a variety of attractive colors. (Shower room)





Tiles are practical for laundry rooms.

Tile & trim available from stock in Black, Grey, Sand, Brown, Green & Burgundy.

*Minimum quantities required in each of these colors

CWF Mat anti-fatigue tiles make an ideal covering for damp and cold basement floors; are easily assembled, interlocking one to the other; and form a strong but cushioned floor surface with multiple applications. The ridges underneath allow for easy passage of electrical wires and telephone lines.



CWF Mat cushioned tiles offer unparalleled air cushioned comfort. This anti-fatigue comfort tile greatly reduces stress where work is conducted while standing, or where noisy machines that cause strong vibrations are used.

Resistant to mold and mildew, interlocking one to the other; and form a strong but cushioned floor surface with multiple applications



Shock Absorbent Cushioned Tiles



Above dark blue and yellow tile is the anti-slip surface up. The red and blue is the bottom part of the tile. CWF Mat's Shock Absorbent Cushioned Tiles has anti-fatigue properties. The surface is bumpy for sure grip walking.




CWF Mat's Shock Absorbent Cushioned Tiles are securely interlocked with 12 T-Interlockers. Beveled edges interlock with 5 Interlockers-3 on the side and one on each end. An edges is $12^{\circ} \times 2-1/2^{\circ} \times 3/4^{\circ}$ thick.






SPORTS EXPANSION TILES



Solid or Flexible will keep any deck dry.



1. 1'x1' modules snap securely together with 32 latch locks per tile to form a continuous surface of any size.

2. Quick & easy installation

3. Available in solid Polypropylene with a static load rating of 16,000 lbs per sq. foot.




>SET-101 Solid Polypropylene 12" x 12" x 1/2" >SET-202 Flexible PVC 12" x 12" x 1/2"

>SET-TRIM Male and female for both formats 12" x 1 3/4" x 1/2"

Available from stock: White, Terracotta, Forest Green, Light Gray, Medium Blue, Black and Yellow.



SPORTS EXPANSION TILES



Pictured Above: Latch Locks There are 32 *Latch Locks* per tile, 16 females and 16 males per each 12" square tile. Pictured Below: Top view of Female Latch Locks and bottom view of male Latch Locks



